



DOORPHONE
ENTRY IP

SIP OUTDOOR STATION: ENTRY

FT600(K)SIP & FT600SIP-X FT600(K)SIPVC & FT600SIPVC-X




Looking for a classy product and yet very budget-friendly?

The FT600SIP and FT600KSIP are IP intercoms that can be connected to any desired cloud platform or PBX.

Its price will surprise you, but make no mistake: the finish of the out-post is and remains a real Fasttel: beautiful black anodized aluminum finished with real glass!

Plastic doesn't stand a chance again.



SPECIFICATIONS

1. The optional 140° camera is very subtly concealed so that the visitor does not feel spied on and vandalism is not attracted.
2. The volume of the microphone can be adjusted independently of that of the loudspeaker.
3. A light sensor switches the camera to a perfect black and white night image in the dark.
4. With 4 anti-vandal screws, the outdoor station is firmly fixed.
5. With the optional keyboard 2 relays can be controlled.
6. The very powerful loudspeaker is adjustable in several steps.
7. The frame is made of brushed aluminum and glass.

DIMENSIONS

The outdoor stations can be installed flush or surface mounted and this with 1 and the same frame.

Total size:
216 x 116 x 31 mm (HxWxD)

Recess to be provided for flush mounted model:
202 x 102 x 31 mm (HxWxD)



FT600BUS

This module allows you to choose between built-in or surface-mounted.



FT800HW

Accessory for hollow walls (e.g., gate columns).




fasttel

1	2	3	
4	5	6	
7	8	9	🔔
*	0	#	

RENF

3-Entry

APPLICATIONS




FT600LIC
App for smartphones



SIP PBX
Ip telephone exchange



FT600W
7" IP kleuren monitor



FT9002A/4A
Door Access System Controller



FT600KSIPVC

FT600SIPVC



CLOUD BPX
Cloud telephone exchange



FTW30CC
10" SIP Android 12 color monitor: white



FT30CC
10" SIP Android 12 color monitor: black

The outdoor stations have 2 SIP accounts that can be activated simultaneously. This creates the possibility to connect them to our Cloud environment, so that the customer can use the app on the smartphone, but also a simultaneous link to the customer's telephony environment. A 2M pixels Day/night camera is optional.


The intercom also has a wiegand connection so that the keypad can be reintegrated into the access control system of the end customer.

You are free to place it in all environments where SIP connections are possible. In short, a unique and beautiful design!

SIP INDOOR STATIONS


FT600(K)SIP & FT600SIP-X FT600(K)SIPVC & FT600SIPVC-X

NO CAMERA



FT600SIP

1 button,
no camera



FT600KSIP

1 button,
with keyboard
no camera



FT600SIP-2

2 buttons,
no camera



FT600SIP-3

3 buttons,
no camera



FT600SIP-4

4 buttons,
no camera



FT600SIP-5

5 buttons,
no camera

INCLUDES COLOR CAMERA




FT600SIPVC

1 button,
with camera



FT600KSIPVC

1 button,
with keyboard
and camera



FT600SIPVC-2

2 buttons,
with camera



FT600SIPVC-3

3 buttons,
with camera



FT600SIPVC-4

4 buttons,
with camera



FT600SIPVC-5

5 buttons,
with camera

SIP INDOOR STATIONS

FT600(K)SIPVC-L & FT600SIPVC-(2)(3)(4)(5)-L

The standard model, measuring 216x116 mm, is highly compact and user-friendly. However, it is often too small to completely cover the openings of older intercom systems. To address this, we offer an extra-large variant for each model.

These larger versions also provide the option to integrate additional modules, such as a fingerprint reader, badge reader, personalized text (e.g., opening hours), status indicators (e.g., absent/occupied/inside), and more. Fasttel offers fully customized solutions to meet your needs.

INCLUDES COLOR CAMERA



FT600SIPVC-L

1 button, with camera

With FTPROXI option: Mifare Wiegand reader



FT600KSIPVC-L

1 button, with keypad, with camera

With FTNAME option: customizable text, e.g., house number + logo



FT600SIPVC-2-L

2 buttons, with camera

With the option FTEKEY: Ekey fingerprint reader



FT600SIPVC-3-L

3 buttons, with camera

With the option status indicator lights



FT600SIPVC-4-L

4 buttons, with camera



FT600SIPVC-5-L

5 buttons, with camera

fasttel

Door Entry Systems

FASTTEL BELGIUM (Headquarters)

Klipsenstraat 18A, 9160 Lokeren | T +32 (0)9 244 65 20

info@fasttel.com | www.fasttel.com

shop.fasttel.com