



DOORPHONE ENTRY IP



fasttel

1	2	3	
4	5	6	
7	8	9	🔔
*	0	#	

RENF

SIP OUTDOOR STATION


FT600(K)SIP & FT600SIP-X FT600(K)SIPVC & FT600SIPVC-X

Looking for a classy product and yet very budget-friendly?

The FT600SIP and FT600KSIP are IP intercoms that can be connected to any desired cloud platform or PBX.

Its price will surprise you, but make no mistake: the finish of the out-post is and remains a real Fasttel: beautiful black anodized aluminum finished with real glass!

Plastic doesn't stand a chance again.



FT600KSIPVC

1 button, keypad,
with camera

SPECIFICATIONS

1. The optional 140° camera is very subtly concealed so that the visitor does not feel spied on and vandalism is not attracted.
2. The volume of the microphone can be adjusted independently of that of the loudspeaker.
3. A light sensor switches the camera to a perfect black and white night image in the dark.
4. With 4 anti-vandal screws, the outdoor station is firmly fixed.
5. With the optional keyboard 2 relays can be controlled.
6. The very powerful loudspeaker is adjustable in several steps.
7. The frame is made of brushed aluminum and glass.

DIMENSIONS

The outdoor stations can be installed flush or surface mounted and this with 1 and the same frame.

Total size:
216 x 116 x 31 mm (HxWxD)

Recess to be provided for flush mounted model:
202 x 102 x 31 mm (HxWxD)



FT600BUS

This module allows you to choose between built-in or surface-mounted.



FT600HW

Hollow wall accessory.




FT600SIP

1 button,
no camera



FT600SIPVC

1 button,
with camera




FT600KSIP

1 button, keypad,
no camera

APPLICATIONS



FT600W
7" IP color monitor




FT600LIC
App for smartphones




SIP PBX
Ip telephone exchange



CLOUD BPX
Cloud telephone exchange



FT9002A/4A
Door Access System Controller



FT600KSIPVC

FT600SIPVC



FTW30CC
10" IP color monitor



FT30CC
10" IP/Android color monitor




Our FT600SIP(VC) & FT600KSIP(VC) are SIP intercoms that can be used in all telephony environments.

The outdoor station all have 2 SIP accounts that can be activated simultaneously. This creates the possibility to connect them to our Cloud environment, so that the customer can use the app on the smartphone, but also a simultaneous link to the customer's telephony environment. A 2M pixels Day/night camera is optional.

The intercom also has a wiegand connection so that the keypad can be reintegrated into the access control system of the end customer.

You are free to place it in all environments where SIP connections are possible. In short, a unique and beautiful design!

FT600(K)SIP & FT600SIP-X FT600(K)SIPVC & FT600SIPVC-X



NO CAMERA

FT600SIP

1 button,
no camera

FT600KSIP

1 button,
with keyboard
no camera

FT600SIP-2

2 buttons,
no camera

FT600SIP-3



3 buttons,
no camera

FT600SIP-4

4 buttons,
no camera

FT600SIP-5

5 buttons,
no camera



INCLUSIEF KLEURENCAMERA

FT600SIPVC

1 button,
with camera

FT600KSIPVC

1 button,
with keyboard
and camera

FT600SIPVC-2

2 buttons,
with camera

FT600SIPVC-3

3 buttons,
with camera

FT600SIPVC-4

4 buttons,
with camera

FT600SIPVC-5

5 buttons,
with camera

fasttel

Door Entry Systems

FASTTEL BELGIUM (Headquarters)

Klipsenstraat 18A, 9160 Lokeren | T +32 (0)9 244 65 20
info@fasttel.com | www.fasttel.com

FASTTEL NETHERLANDS

Heiligenboom 3, 5066 CB Moergestel | T +31 (0)13 513 65 14
info@fasttel.nl | www.fasttel.nl

shop.fasttel.com